

New England Biolabs Certificate of Analysis

Product Name: NiCo21(DE3) Competent *E. coli*
 Catalog #: C2529H
 Lot #: 0121611
 Assay Date: 11/2016
 Expiration Date: 11/2017
 Storage Temp: -80°C
 Specification Version: PS-C2529H v1.0
 Effective Date: 05 Jul 2016

| Assay Name/Specification (minimum release criteria) | Lot #0121611 |
|---|--------------|
| Antibiotic Sensitivity (Ampicillin) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Chloramphenicol) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Kanamycin) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Spectinomycin) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Streptomycin) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Antibiotic Sensitivity (Tetracycline) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C. | Pass |
| Phage Resistance (Φ 80) - 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage Φ 80 after incubation for 16 hours at 37°C. | Pass |
| Transformation Efficiency - 50 µl of NiCo21(DE3) Competent <i>E. coli</i> cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10 ⁷ cfu/µg of DNA. | Pass |



Authorized by
Derek Robinson
05 Jul 2016



Inspected by
Lixin An
14 Nov 2016

