

## New England Biolabs Certificate of Analysis

**Product Name:** NiCo21(DE3) Competent *E. coli*  
**Catalog Number:** C2529H  
**Packaging Lot Number:** 10062924  
**Expiration Date:** 11/2020  
**Storage Temperature:** -80°C  
**Specification Version:** PS-C2529H v1.0

NiCo21(DE3) Competent <i>E. coli</i> Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3041AVIAL	pUC19 Vector	10058192	Pass
C2529HVIAL	NiCo21(DE3) Competent <i>E. coli</i>	10035647	Pass
B9020SVIAL	SOC Outgrowth Medium	10058381	Pass

Assay Name/Specification	Lot # 10062924
<b>Antibiotic Sensitivity (Ampicillin)</b> 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Chloramphenicol)</b> 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Kanamycin)</b> 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Spectinomycin)</b> 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
<b>Antibiotic Sensitivity (Streptomycin)</b> 15 µl of untransformed NiCo21(DE3) Competent <i>E. coli</i> streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours	Pass

Assay Name/Specification	Lot # 10062924
<p>at 37°C.</p> <p><b>Antibiotic Sensitivity (Tetracycline)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.</p>	<p><b>Pass</b></p>
<p><b>Phage Resistance (φ 80)</b> 15 µl of untransformed NiCo21(DE3) Competent E. coli streaked onto a Rich Broth plate does not support plaque formation by phage φ 80 after incubation for 16 hours at 37°C.</p>	<p><b>Pass</b></p>
<p><b>Transformation Efficiency</b> 50 µl of NiCo21(DE3) Competent E. coli cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in &gt;1 x 10<sup>7</sup> cfu/µg of DNA.</p>	<p><b>Pass</b></p>

This product has been tested and shown to be in compliance with all specifications.



Lixin An  
Production Scientist  
15 Mar 2019



Nick Privitera  
Packaging Quality Control Inspector  
16 Dec 2019