

New England Biolabs Certificate of Analysis

Product Name: T7 Express Competent *E. coli* (High Efficiency)
 Catalog Number: C2566H
 Packaging Lot Number: 10128279
 Expiration Date: 07/2023
 Storage Temperature: -80°C
 Specification Version: PS-C2566H/I v1.0


T7 Express Competent <i>E. coli</i> (High Efficiency) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3041AVIAL	pUC19 Vector	10119396	Pass
C2566HVIAL	T7 Express Competent <i>E. coli</i> (High Efficiency)	10117874	Pass
B9020SVIAL	SOC Outgrowth Medium	10107469	Pass

Assay Name/Specification	Lot # 10128279
<p>Phage Resistance (ϕ 80) 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate does not support plaque formation by phage ϕ 80 after incubation for 16 hours at 37°C.</p>	Pass
<p>Transformation Efficiency 50 μl of T7 Express Competent <i>E. coli</i> (High Efficiency) cells were transformed with 100 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in $>0.6 \times 10^9$ cfu/μg of DNA.</p>	Pass
<p>Antibiotic Sensitivity (Chloramphenicol) 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Ampicillin) 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Resistance (Nitrofurantoin) 15 μl of untransformed T7 Express Competent <i>E. coli</i> (High Efficiency) streaked onto a Rich Broth plate containing Nitrofurantoin will form colonies after incubation for</p>	Pass


Assay Name/Specification	Lot # 10128279
<p>16 hours at 37°C.</p> <p>Antibiotic Sensitivity (Streptomycin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Spectinomycin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Kanamycin) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.</p>	Pass
<p>Antibiotic Sensitivity (Tetracycline) 15 µl of untransformed T7 Express Competent E. coli (High Efficiency) streaked onto a Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Lixin An
Production Scientist
29 Oct 2021



Corey Rabeau
Packaging Quality Control Inspector
29 Oct 2021