

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Ultra™ II RNA Library Prep Kit for Illumina®
 Catalog Number: E7770S
 Packaging Lot Number: 10205981
 Expiration Date: 10/2024
 Storage Temperature: -20°C
 Specification Version: PS-E7770S/L v2.0

NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7764AVIAL	Nuclease-free Water	10183845	Pass
E7763AVIAL	0.1X TE	10183854	Pass
E7762AVIAL	NEBNext® Adaptor Dilution Buffer	10183852	Pass
E7761AVIAL	NEBNext® First Strand Synthesis Enzyme Mix	10183851	Pass
E7649AVIAL	NEBNext® Ultra™ II Q5® Master Mix	10183850	Pass
E7648AVIAL	NEBNext® Ultra™ II Ligation Master Mix	10183849	Pass
E7647AVIAL	NEBNext® Ultra™ II End Prep Reaction Buffer	10183847	Pass
E7646AVIAL	NEBNext® Ultra™ II End Prep Enzyme Mix	10183846	Pass
E7427AVIAL	NEBNext® Second Strand Synthesis Reaction Buffer, 10X	10183844	Pass
E7425AVIAL	NEBNext® Second Strand Synthesis Enzyme Mix	10183843	Pass
E7422AVIAL	Random Primers	10183842	Pass
E7421AVIAL	NEBNext® First Strand Synthesis Reaction Buffer	10183841	Pass
E7374AVIAL	NEBNext® Ligation Enhancer	10183840	Pass

Assay Name/Specification	Lot # 10205981
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® and meet the designated specifications.</p>	Pass
<p>Functional Testing (Library Construction, RNA) Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from commercially available RNA, using the kit's minimum and maximum input requirements. Libraries made from the previous and current lots for both input RNA amounts are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, individual transcript abundance correlations (low vs. high input, old lot vs. new lot), 5'-3'</p>	Pass

Assay Name/Specification	Lot # 10205981
transcript coverage, and fraction of reads mapping to a reference.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Christine Sumner
Production Scientist
28 Aug 2023



Michael Tonello
Packaging Quality Control Inspector
28 Aug 2023