

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: Deep Vent® (exo-) DNA Polymerase

Catalog Number: M0259S Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme that will incorporate 10

nmol of dNTP into acid-insoluble material 30 minutes at 75°C.

Packaging Lot Number: 10153517
Expiration Date: 06/2024
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 100 mM KCl, 1 mM DTT, 0.1 mM EDTA, 0.1 %

Triton®X-100, 50 % Glycerol, (pH 7.4 @ 25°C)

Specification Version: PS-M0259S/L v2.0

Deep Vent® (exo-) DNA Polymerase Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0259SVIAL	Deep Vent® (exo-) DNA Polymerase	10153516	Pass	
B9004SVIAL	ThermoPol® Reaction Buffer Pack	10143500	Pass	
B1003SVIAL	Magnesium Sulfate (MgSO <sub>4</sub> ) Solution	10138586	Pass	

Assay Name/Specification	Lot # 10153517
Protein Purity Assay (SDS-PAGE)  Deep Vent™ (exo-) DNA Polymerase is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
Phosphatase Activity (pNPP) A 200 µl reaction in 1M Diethanolamine, pH 9.8, 0.5 mM MgCl2 containing 2.5 mM p-Nitrophenyl Phosphate (pNPP) and a minimum of 100 units Deep Vent™ (exo-) DNA Polymerase incubated for 4 hours at 37°C yields <0.0001 unit of alkaline phosphatase activity as determined by spectrophotometric analysis.	Pass
PCR Amplification (2.0 kb Lambda DNA) A 25 µl reaction in ThermoPol® Reaction Buffer in the presence of 200 µM dNTPs and 0.2 µM primers containing 5 ng Lambda DNA with 1 unit of Deep Vent™ (exo-) DNA Polymerase for 25 cycles of PCR amplification results in the expected 2.0 kb product.	Pass
Single Stranded DNase Activity (FAM-Labeled Oligo) A 20 µl reaction in ThermoPol® Reaction Buffer containing a 10 nM solution of a	Pass



M0259S / Lot: 10153517 Page 1 of 2

Assay Name/Specification	Lot # 10153517
fluorescent internal labeled oligonucleotide and a minimum of 20 units of Deep Vent™ (exo-) DNA Polymerase incubated for 30 minutes at 37°C and 75°C yields <10% degradation as determined by capillary electrophoresis.	
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in ThermoPol® Reaction Buffer containing 1 μg of a mixture of single and double-stranded [ ³H] E. coli DNA and a minimum of 20 units of Deep Vent™ (exo-) DNA Polymerase incubated for 4 hours at 37°C and 75°C releases <0.1% of the total radioactivity.	Pass
Endonuclease Activity (Nicking) A 50 μl reaction in ThermoPol® Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 20 units of Deep Vent™ (exo-) DNA Polymerase incubated for 4 hours at 37°C and 75°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in NEBuffer 2 containing 1 µg of T3 or T7 DNA in addition to a reaction containing Lambda-HindIII DNA and a minimum of 2 units of Deep Vent <sup>™</sup> (exo-) DNA Polymerase incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christie Vazquez **Production Scientist** 21 Jun 2022

Erin Varney

Packaging Quality Control Inspector

21 Jun 2022



M0259S / Lot: 10153517