

www.neb.com info@neb.com



## New England Biolabs Certificate of Analysis

Product Name: Lambda Exonuclease

Catalog Number: M0262L
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to produce 10

nmol of acid-soluble deoxyribonucleotide from double-stranded substrate in a total reaction volume of 50 μl in 30 minutes at 37°C in 1X Lambda Exonuclease Reaction Buffer with 1 μg sonicated duplex

[3H]-DNA.

Packaging Lot Number: 10239261
Expiration Date: 12/2025
Storage Temperature: -20°C

Storage Conditions: 25 mM Tris-HCl, 50 mM NaCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, (pH

8.0 @ 25°C)

Specification Version: PS-M0262S/L v1.0

Lambda Exonuclease Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
M0262LVIAL	Lambda Exonuclease	10221812	Pass
B0262SVIAL	Lambda Exonuclease Reaction Buffer	10223615	Pass

Assay Name/Specification	Lot # 10239261
Endonuclease Activity (Nicking) A 50 µl reaction in Lambda Exonuclease Reaction Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 50 units of Lambda Exonuclease incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by	Pass
agarose gel electrophoresis.  Protein Purity Assay (SDS-PAGE)  Lambda Exonuclease is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 5 units of Lambda Exonuclease is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass

This product has been tested and shown to be in compliance with all specifications.



M0262L / Lot: 10239261

Page 1 of 2



One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Heidi Church Production Scientist

25 Jan 2024

Michael Tonello

Packaging Quality Control Inspector

22 Apr 2024

