

New England Biolabs Certificate of Analysis

Product Name: Antarctic Thermolabile UDG
Catalog Number: M0372L
Concentration: 1,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme that catalyzes the release of 60 pmol of uracil per minute from double-stranded, uracil-containing DNA. Activity is measured by release of [3H]-uracil in a 50 µl reaction containing 0.2 µg DNA (104-105 cpm/µg) in 30 minutes at 37°C.
Packaging Lot Number: 10075250
Expiration Date: 05/2022
Storage Temperature: -20°C
Storage Conditions: 50 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 50 % Glycerol, (pH 7.4 @ 25°C)
Specification Version: PS-M0372S/L v1.0

Antarctic Thermolabile UDG Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0372LVIAL	Antarctic Thermolabile UDG	10075249	Pass
B9014SVIAL	Standard Taq Reaction Buffer Pack	10067015	Pass

Assay Name/Specification	Lot # 10075250
DNase Activity (Labeled Oligo, 3' extension) A 50 µl reaction in NEBuffer 4 containing a 20 nM solution of a fluorescent labeled double-stranded oligonucleotide containing a 3' extension and a minimum of 1 unit of Antarctic Thermolabile UDG incubated for 16 hours at 37°C yields <5% degradation as determined by capillary electrophoresis.	Pass
DNase Activity (Labeled Oligo, 5' extension) A 50 µl reaction in NEBuffer 4 containing a 20 nM solution of a fluorescent labeled double-stranded oligonucleotide containing a 5' extension and a minimum of 1 unit of Antarctic Thermolabile UDG incubated for 16 hours at 37°C yields <5% degradation as determined by capillary electrophoresis.	Pass
Double Stranded DNase Activity (Labeled Oligo) A 50 µl reaction in NEBuffer 4 containing a 20 nM solution of a fluorescent labeled double-stranded oligonucleotide containing a blunt end and a minimum of 1 unit of Antarctic Thermolabile UDG incubated for 16 hours at 37°C yields <5% degradation as	Pass

Assay Name/Specification	Lot # 10075250
determined by capillary electrophoresis.	
<p>Protein Purity Assay (SDS-PAGE) Antarctic Thermolabile UDG is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.</p>	Pass
<p>qPCR DNA Contamination (E. coli Genomic) A minimum of 1 unit of Antarctic Thermolabile UDG is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.</p>	Pass
<p>RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of f-300 RNA transcript and a minimum of 1 unit of Antarctic Thermolabile UDG is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using agarose gel electrophoresis.</p>	Pass
<p>Single Stranded DNase Activity (FAM-Labeled Oligo) A 50 µl reaction in NEBuffer 4 containing a 20 nM solution of a fluorescent internal labeled oligonucleotide and a minimum of 1 unit of Antarctic Thermolabile UDG incubated for 16 hours at 37°C yields <5% degradation as determined by capillary electrophoresis.</p>	Pass
<p>Endonuclease Activity (Nicking) A 50 µl reaction in Standard Taq Reaction Buffer containing 1 µg of supercoiled PhiX174 RF I DNA and a minimum of 15 units of Antarctic Thermolabile UDG incubated for 4 hours at 37°C results in <20% conversion to RFI as determined by agarose gel electrophoresis.</p>	Pass
<p>Non-Specific DNase Activity (16 Hour) A 50 µl reaction in Standard Taq Reaction Buffer containing 1 µg of HindIII digested Lambda DNA and a minimum of 50 units of Antarctic Thermolabile UDG incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

Lauren Higgins

Lauren Higgins
Production Scientist
19 May 2020

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
19 May 2020