

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Histone H1 Degree Human Recombinant

Catalog Number: M2501S
Concentration: 1 mg/ml
Unit Definition: N/A

Packaging Lot Number: 10060663
Expiration Date: 11/2021
Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 20 mM NaPO4, 1 mM EDTA, (pH 7.0 @ 25°C)

Specification Version: PS-M2501S v1.0

Histone H1 Degree Human Recombinant Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M2501SVIAL	Histone H1º Human, Recombinant	10060664	Pass	

Assay Name/Specification	Lot # 10060663
Endonuclease Activity (Nicking) A 50 μl reaction in NEBuffer 2 containing 1 μg of supercoiled PhiX174 RF I DNA and a minimum of 10 μg of Histone H10 Human, Recombinant incubated for 4 hours at 37°C results in <10% conversion to RFII as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 2 containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 10 µg of Histone H10 Human, Recombinant incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Molecular Weight Determination (Mass Spectrometry) The molecular weight of Histone H10 Human, Recombinant is between 20,730.49 and 20,732.57 as determined by mass spectrometry analysis.	Pass
Protease Activity (Histones) A 12 µl reaction containing 7 µl of a standard mixture of proteins and a minimum of 5 µg of Histone H10 Human, Recombinant incubated for 4 hours at 37°C, results in no detectable degradation of the protein mixture as determined by SDS-PAGE with Coomassie Blue detection.	Pass
Protein Purity Assay (SDS-PAGE) Histone H10 Human, Recombinant is ≥ 95% pure as determined by SDS-PAGE analysis	Pass



M2501S / Lot: 10060663 Page 1 of 2 Musha



Assay Name/Specification	Lot # 10060663
using Coomassie Blue detection.	

This product has been tested and shown to be in compliance with all specifications.

Fana Mersha Production Scientist

21 Nov 2019

Michael Tonello

Packaging Quality Control Inspector

21 Nov 2019

