

New England Biolabs Certificate of Analysis

Product Name: Chitin Resin
Catalog Number: S6651S
Packaging Lot Number: 10115417
Expiration Date: 01/2024
Storage Temperature: 4°C
Specification Version: PS-S6651S/L v1.0

Chitin Resin Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S6651SVIAL	Chitin Resin	10092628	Pass

Assay Name/Specification	Lot # 10115417
<p>Functional Binding Assay (Resin Binding Specificity) Chitin Resin (1 ml) was packed into a column and equilibrated with column buffer. Crude extract from E. coli containing a plasmid that expresses a SNAP-intein-chitin binding domain fusion protein (8 ml) was then passed through the column at 25°C, and then washed with column buffer. The target protein was eluted through cleavage of the fusion protein during overnight incubation with column buffer containing 50 mM DTT at 4°C. SDS-PAGE of the eluate on a 10-20% Tris-Glycine gel confirms low non-specific binding of extract proteins and high isolation of target.</p>	Pass
<p>Functional Binding Assay (Resin Binding Capacity) Chitin Resin (1 ml) was packed into a column and equilibrated with column buffer. Crude extract from E. coli containing a plasmid that expresses a SNAP-intein-chitin binding domain fusion protein (8 ml) was then passed through the column at 25°C, then washed with column buffer and the target protein eluted through cleavage of the fusion protein during overnight incubation with column buffer containing 50 mM DTT at 4°C. Binding capacity was determined to be >2 mg SNAP protein /ml of resin based on A280 of the eluate.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Michael Spfoviero
Production Scientist
17 Aug 2021



Michael Tonello
Packaging Quality Control Inspector
17 Aug 2021