

New England Biolabs Certificate of Analysis

Product Name: *Monarch® Precipitation Enhancer*
Catalog Number: *T3055L*
Packaging Lot Number: *10193016*
Expiration Date: *05/2025*
Storage Temperature: *25°C*
Specification Version: *PS-T3055L v1.0*

Monarch® Precipitation Enhancer Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
T3055-1	Monarch® Precipitation Enhancer	10186136	Pass

Assay Name/Specification	Lot # 10193016
Functional Testing (Genomic DNA Yield and Integrity Analysis) Genomic DNA is purified from 8 samples of whole pig blood using the High Molecular Weight DNA Extraction from Blood (Frozen Mammalian Blood) protocol. Each set of reagents is functionally tested to ensure successful isolation of gDNA from frozen pig blood samples. Yield of genomic DNA is compared across various metrics including a minimum gDNA yield of 6 µg per extraction and a recovery equivalence of ≥85% as compared to the control lot. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples, and DIN values are ≥9 in ≥80% of the samples. In ≥ 80% of samples, ≥ 75% of the DNA is 50 kb in size or greater.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Ana Egana
Production Scientist
09 Aug 2023



Julie Gaumont
Packaging Quality Control Inspector
09 Aug 2023